#### **CHAPTER 2**

#### Streets and Sidewalks

\$ 4-2-2 Construction and Repair of Sidewalks and Curbs and Gutters \$ 4-2-3 Excavations of Streets, Alleys, Public Ways and Grounds \$ 4-2-4 Regulations Governing Excavations and Openings \$ 4-2-5 Obstructions and Encroachments \$ 4-2-6 Street Privilege Permit \$ 4-2-7 Snow and Ice Removal \$ 4-2-8 Terrace Areas \$ 4-2-9 Vaults \$ 4-2-10 Downspouts and Eaves of Buildings Not to Drain on Sidewall \$ 4-2-11 Sale or Display of Merchandise Prohibited \$ 4-2-12 Requests for Improvements	§ 4-2-1	Removal of Rubbish and Dirt From Sidewalks
\$ 4-2-4 Regulations Governing Excavations and Openings \$ 4-2-5 Obstructions and Encroachments \$ 4-2-6 Street Privilege Permit \$ 4-2-7 Snow and Ice Removal \$ 4-2-8 Terrace Areas \$ 4-2-9 Vaults \$ 4-2-10 Downspouts and Eaves of Buildings Not to Drain on Sidewall \$ 4-2-11 Sale or Display of Merchandise Prohibited	§ 4-2-2	Construction and Repair of Sidewalks and Curbs and Gutters
\$ 4-2-5 Obstructions and Encroachments \$ 4-2-6 Street Privilege Permit \$ 4-2-7 Snow and Ice Removal \$ 4-2-8 Terrace Areas \$ 4-2-9 Vaults \$ 4-2-10 Downspouts and Eaves of Buildings Not to Drain on Sidewall \$ 4-2-11 Sale or Display of Merchandise Prohibited	§ 4-2-3	Excavations of Streets, Alleys, Public Ways and Grounds
\$ 4-2-6 Street Privilege Permit \$ 4-2-7 Snow and Ice Removal \$ 4-2-8 Terrace Areas \$ 4-2-9 Vaults \$ 4-2-10 Downspouts and Eaves of Buildings Not to Drain on Sidewall \$ 4-2-11 Sale or Display of Merchandise Prohibited	§ 4-2-4	Regulations Governing Excavations and Openings
\$ 4-2-7 Snow and Ice Removal \$ 4-2-8 Terrace Areas \$ 4-2-9 Vaults \$ 4-2-10 Downspouts and Eaves of Buildings Not to Drain on Sidewall \$ 4-2-11 Sale or Display of Merchandise Prohibited	§ 4-2-5	Obstructions and Encroachments
\$ 4-2-8 Terrace Areas \$ 4-2-9 Vaults \$ 4-2-10 Downspouts and Eaves of Buildings Not to Drain on Sidewall \$ 4-2-11 Sale or Display of Merchandise Prohibited	§ 4-2-6	Street Privilege Permit
\$ 4-2-9 Vaults \$ 4-2-10 Downspouts and Eaves of Buildings Not to Drain on Sidewall \$ 4-2-11 Sale or Display of Merchandise Prohibited	§ 4-2-7	Snow and Ice Removal
S 4-2-10 Downspouts and Eaves of Buildings Not to Drain on Sidewall S 4-2-11 Sale or Display of Merchandise Prohibited	§ 4-2-8	Terrace Areas
§ 4-2-11 Sale or Display of Merchandise Prohibited	§ 4-2 <b>-</b> 9	
	§ 4-2-10	Downspouts and Eaves of Buildings Not to Drain on Sidewalks
§ 4-2-12 Requests for Improvements	§ 4-2-11	Sale or Display of Merchandise Prohibited
	§ 4-2-12	Requests for Improvements

### SEC. 4-2-1 REMOVAL OF RUBBISH AND DIRT FROM SIDEWALKS.

No owner or occupant shall allow the sidewalk abutting on his premises to be littered with rubbish or dirt. If such owner or occupant shall refuse or fail to remove any such rubbish or dirt when notified to do so by the Village Board, the Board may cause the same to be done and report the cost thereof to the Village Clerk-Treasurer who shall spread the cost on the tax roll as a special tax against the premises, or such cost may be recovered in an action against the owner or occupant.

# SEC. 4-2-2 CONSTRUCTION AND REPAIR OF SIDEWALKS AND CURBS AND GUTTERS.

- (a) OWNER TO CONSTRUCT. It shall be the duty of the abutting owner to build, repair, construct and perpetually maintain sidewalks along or upon any street, alley or highway in the Village of St. Cloud and to pay the entire cost of construction thereof, unless a percentage of cost-sharing is authorized by the Village Board. Whenever the Village Board shall by resolution determine that a sidewalk be laid, rebuilt, repaired, lowered or raised along or upon any public street, alley or highway within the Village, it shall proceed according to Section 66.615 of the Wisconsin Statutes. Sidewalks shall be located in such places as designated by the Village Board. No person shall remove any sidewalk without the permission of the Village Board.
- (b) PERMIT REQUIRED. No person shall hereafter lay, remove, replace or repair any public sidewalk within the Village unless he is under contract with the Village to do such work or has obtained a permit therefor from the Village Board at least three (3) days before work is proposed to be undertaken. No fee shall be charged for such permits.

(c) SPECIFICATIONS. All sidewalks within the Village hereafter shall be repaired, rebuilt and constructed in accordance with the following specifications:

(1) Subgrade. The subgrade shall be prepared by excavating to the line, grade and cross section as established and approved by the Streets and Sidewalks Committee. Soft and unsuitable material shall be removed and replaced with sand or other satisfactory material, and the subgrade shall be thoroughly and uniformly compacted and moistened immediately before the concrete is placed.

When so specified by the Streets and Sidewalks Committee a sub-base of sand, sand and gravel or other approved porous material shall be placed under the sidewalk. On embankments the subgrade shall extend at least one (1) foot beyond each edge of the sidewalk.

Material. All sidewalks shall be of air entrained concrete composed of six (6) bags per cubic yard of one course construction, and built to the established line and grade. Gravel shall be of good quality. Concrete shall be mixed thoroughly for a minimum of one minute after all materials have been placed in the mixer.

(3) a. Forms. Concrete shall be placed in straight forms of wood or metal of sufficient strength to resist springing, tipping or other displacement during the process of depositing and consolidating the concrete. Wood forms shall be surfaced plank of at least two (2) inches thickness except for sharply curved sections. Metal forms shall be of approved section. The forms shall be of full depth of the required walk and shall be of such design as to permit secure fastening. Forms shall be thoroughly cleaned and oiled before the concrete is placed against them. Concrete shall be placed in the forms on a moist subgrade, deposited just above the finished grade and consolidated and spaded sufficiently to bring the mortar to the surface and to prevent honeycombing. It shall then be struck off level with the top of the forms and finished with wooden flats.

b. To provide adequate drainage, the sidewalk shall slope toward the curb at a minimum rate of one-fourth (1/4) inch per foot of width of sidewalk. All joints and edges shall be finished with a one-fourth (1/4) inch radius edging tool. Sidewalks shall be constructed within the limits of the street, and unless otherwise specifically indicated, there shall be one foot strip of street property left between the property line and the edge of the sidewalk.

(4) Width and Thickness. Residential walks shall be five (5) feet in width and not less than four (4) inches thick except within driveway approaches where the minimum thickness shall be six (6) inches; provided that walks in residential areas may be repaired or replaced to a width not less than the existing width on the effective date of this Section. Sidewalks in front of commercial or industrial establishments shall be not less than eight (8) feet in width and five (5) inches in thickness except within driveway approaches where the minimum thickness shall be seven (7) inches.

5) Finishing. Before the last finish has set, the sidewalk shall be steel troweled and brushed in transverse direction. Before the final finishing, the surface shall be checked with a ten (10) foot straight edge and any areas departing more than one-eighth (1/8) inch from the testing edge shall be corrected by adding or

removing concrete while the concrete in the walk is still plastic.

(6) Jointing. Transverse, full depth, one-half (1/2) inch thick expansion joints of premolded expansion material shall be located every forty feet and at the property line, and where the walk intersects another walk, curb line, building or driveway approach, and at buildings, walls, poles and stop boxes. The expansion joint material shall be placed in a neat and workmanlike manner with its upper edge slightly below the finished sidewalk surface. Dummy groove joints for controlled cracking, at least three-eighths (3/8) inch in thickness and five-sixteenths (5/16) inch in depth, shall be placed at intervals of approximately four (4) feet. All joints shall be at right angles to the direction and grade of the walk. Diagonal joints may be used only when approved by the Streets and Sidewalks Committee.

(7) Curing and Drying. As soon as any of the concrete work hereinbefore mentioned has been finished and hardened sufficiently to prevent excessive marring of the surface, it shall be cured and protected against rapid drying.

Failure to comply with this requirement shall be deemed sufficient cause for suspension of the work. Curing shall be accomplished by the "Impervious Coating," "Wet Fabric" or "Paper" methods. For impervious coating or membrane curing, only those materials meeting requirements of ASTM Specs. C156-44T, "Method of Test for Efficiency of Materials for Curing Concrete" shall be used. Said specifications are hereby adopted by refrence as if fully set forth herein. Walks shall be kept free from all traffic at normal temperatures for forty-eight (48) hours and in cold weather (below 50 degrees F.) for ninetysix (96) hours. No concrete shall be poured when the temperature may be expected to fall below 35 degrees F. in any seventy-two (72) hour period or upon frozen subgrade.

(d) SIDEWALK REPAIR OR REPLACEMENT. Pursuant to Sec. 66.615, Wis. Stats., the Village Board may order property owners to repair or remove and replace any sidewalk which is unsafe, defective or insufficient. If the property owner shall fail to so repair or remove and replace such sidewalk for a period of twenty (20) days after service of the notice provided in Sec. 66.615(3)(c), Wis. Stats., the Village Board shall repair or construct such sidewalk and the Village Clerk-Treasurer shall enter the total cost thereof upon the tax roll as a special tax against said lot or parcel of

(e) UNSAFE SIDEWALKS. The Village Board may at any time, by ordinance or resolution, order any sidewalk which is unsafe, defective, or insufficient, to be removed and replaced with a sidewalk in accordance with the standard specifications

provided for in this Section.

CONSTRUCTION AND REPAIR OF CONCRETE CURB AND GUTTER. provisions of Section 66.60, Wis. Stats., shall be followed in the case of the construction and repair of concrete curb and gutter provided that the property deemed benefited by said construction and repair shall pay one hundred (100%) percent of the costs thereof.

State Law Reference: Section 66.615, Wis. Stats.

# SEC. 4-2-3 EXCAVATIONS OF STREETS, ALLEYS, PUBLIC WAYS AND GROUNDS.

(a) PERMIT REQUIRED. No person, partnership or corporation, or their agents or employees or contractors, shall make or cause to be made any opening or excavation in any public street, public alley, public way, public ground, public sidewalk or Village owned easement within the Village of St. Cloud without a permit therefor from the or Clerk-Treasurer.

(b) FEES. The fee for a street opening permit shall be Fifteen (\$15.00) Dollars for excavation into pavement and Ten (\$10.00) Dollars for any excavation other than pavement on any street or right-of-way. The fee shall be paid to the Clerk-

Treasurer, who shall issue a receipt therefor.

(c) INSURANCE REQUIRED. A permit shall be issued only upon condition that the applicant submit to the Clerk-Treasurer satisfactory written evidence that applicant has in force and will maintain during the time the permit is in effect public liability insurance of not less than \$100,000 per one person, \$300,000 for one accident and property damage coverage of not less than \$50,000.

BOND.

(1) Before a permit for excavating or opening any street or public way may be issued, the applicant must sign a statement in that he will indemnify and save harmless the Village of St. Cloud and its officers from all liability for accidents and damage caused by any of the work covered by his permit, and that he will

fill up and place in good and safe condition all excavations and openings made in the street, and will replace and restore the pavement over any opening he may make as near as can be to the state and condition in which he found it, and keep and maintain the same in such condition, normal wear and tear excepted, to the satisfaction of the Village Board for a period of two (2) years, and that he will pay all fines imposed upon him for any violation of any rule, regulation or ordinance governing street openings or drainlaying adopted by the Village Board and will repair any damage done to existing improvements during the progress of the excavation in accordance with the ordinances, rules and regulations of the Village. Such statement shall also guarantee that if the Village shall elect to make the street repair, the person opening the street will pay all costs of making such repair and of maintaining the same for one year.

(2) The person who does such restoration shall be responsible therefor for two (2) years from the date of the completion of the work and shall file a written guarantee or surety bond to that effect with the Village in the amount of Ten

Thousand (\$10,000.00) Dollars.

(3) Whenever the Village Board shall find that any such work has become defective within two (2) years of the date of completion, it shall give written notice thereof to the contractor or to his surety stating the defect, the work to be done, the cost thereof and the period of time deemed by the Village Board to be reasonably necessary to complete said work. After receipt of such notice, the contractor or the surety must, within the time specified, repair the defect or indemnify the Village for the cost of doing the work as set forth in the notice.

(4) An annual bond may be given under this Section covering all excavation work done by the principal for one (1) year beginning January I, which shall be conditioned as specified above and in the amount determined by the Village

Board as necessary to adequately protect the public and the Village.

#### REGULATIONS GOVERNING EXCAVATIONS AND OPENINGS. SEC. 4-2-4

(a) FROZEN GROUND. No openings in the streets, alleys, sidewalks or public ways shall be permitted when the ground is frozen except where it is deemed necessary by

the Chairman of the Streets and Sidewalks Committee.

(b) REMOVAL OF PAVING. In any opening or excavation all paving or ballasting materials shall be removed with the least possible loss of or injury to surfacing materials and together with the excavated materials from the opening shall be placed so as to cause the least practicable inconvenience to the public and permit free flow of water along gutters.

(c) PROTECTION OF PUBLIC.

(1) Every opening and excavation shall be enclosed with sufficient barrriers. Sufficient warning lights shall be kept on from sunrise to sunset. Such lights shall be spaced so as to give adequate warning of the existence of the opening and of piled excavated materials. No open flame warning pots shall be used. Except by special permission from the Chairman of the Streets and Sidewalks Committee, no trench shall be excavated more than two hundred fifty (250) feet in advance of pipe or conduit laying nor left unfilled more than five hundred (500) feet where pipe or conduit has been laid.

(2) All necessary precautions shall be taken to guard the public effectively from accidents or damage to persons or property through the period of the work. Each person making such opening shall be held liable for all damages, including costs incurred by the Village in defending any action brought against it for damages, as well as cost of any appeal, that may result from the neglect by such person or his employees of any necessary precaution against injury or

damage to persons, vehicles or property of any kind.

(d) REPLACING STREET SURFACE. In opening any public street, public alley, public sidewalk, public way, public easement, or public ground, the paving materials sand, gravel and earth or other material moved or penetrated and all surface monuments or hubs must be removed and replaced as nearly as possible in their original condition or position and the same relation to the remainder as before. Any excavated material which in the opinion of the Streets and Sidewalks Committee is not suitable for refilling shall be replaced with approved backfill material. All rubbish shall be immediately removed. In refilling the opening, the earth must be puddled or laid in layers not more than six (6) inches in depth and each layer rammed, tamped or flushed to prevent after-settling. When the sides of the trench will not stand perpendicular, sheathing and braces must be used to prevent caving. No timber, bracing, lagging, sheathing or other lumber shall be left in any trench. The Village may elect to have the opening for any street or sidewalk repaired by the Village, in which case the cost of making such repair and of maintaining it for one year shall be charged to the person making the street opening.

(e) NOTICE. It shall be the duty of the permittee to notify the Village Clerk-Treasurer and all public and private individuals, firms and corporations affected by the work to be done at least twenty-four (24) hours before such work is to commence. The Clerk-Treasurer shall also be notified at least four (4) hours prior to backfilling and

or restoring the surface.

(f) VALIDITY OF PERMIT. Unless the work shall be commenced within thirty (30) days of the issuance of the permit, the permit shall be void, and a new permit must be obtained and an additional fee charged. The Clerk-Treasurer may extend the time

limitation for good cause.

(g) BACKFILLING. It shall be the duty of the permittee to backfill the opening immediately upon completion of the work and to place at least five (5) inches of traffic bind or similar material in the opening unless otherwise advised by the Chairman of the Streets and Sidewalks Committee. It shall be the duty of the permittee to maintain the opening in good condition for a period of six months after the completion of the work or until the surface has been restored. The Streets and Sidewalks Committee shall decide when within said six (6) months period the opening is ready for paving if a paving surface is required. If the surface is not restored within a period of ten (10) days or such longer period as determined by the Streets and Sidewalks Committee, the Village may restore the surface and bill the permittee therefor

(h) EMERGENCY EXCAVATION. In the event of an emergency any person, firm or corporation, owning or controlling any sewer, gas main, water main, conduit or other utility in or under any public street, alley easement, way or ground and his agents and employees may take immediate proper emergency measures to remedy dangerous conditions for the protection of property, life, health, or safety without obtaining an excavation permit, provided that such person firm or corporation shall apply

for an excavation permit not later than the next business day.

(i) EXCAVATION IN NEW STREETS LIMITED. Whenever the Village Board determines to provide for the permanent improvement or repaving of any street, such determination shall be made not less than thirty (30) days before the work of improvement or repaving shall begin. Immediately after such determination by the Village Board, the Village Clerk-Treasurer shall notify in writing each person, utility, Village department or other agency owning or controlling any sewer, water main, conduit or other utility in or under said street or any real property abutting said street, that all such excavation work in such street must be completed within thirty (30) days. After such permanent improvement or repaving, no permit shall be issued to open or excavate said street for a period of five (5) years after the date of improvement or repaving unless in the opinion of the Village Board an emergency exists which makes it absolutely essential that the permit be issued.

(j) APPLICATION FOR PERMIT. The application for a permit shall be in writing and signed by the applicant or his agent. The applicant shall submit to the Clerk-Treasurer, at the time the permit is applied for, sufficient information relating to the work to be done including the general location and nature of the work and the method applicant proposes to use in doing the work. The Clerk-Treasurer shall determine if sufficient information is submitted.

(k) EXCEPTION. The provisions of this Section shall not apply to excavation work done by Village employees or contractors performing work under contract with the Village except that the safety precautions under Subsection (c) hereof shall be complied

with.

# SEC. 4-2-5 OBSTRUCTIONS AND ENCROACHMENTS.

(a) OBSTRUCTIONS AND ENCROACHMENTS PROHIBITED. No person shall encroach upon or in any way obstruct or encumber any street, alley, sidewalk, public grounds, or land dedicated to public use, or any part thereof, or permit such encroachment or encumbrance to be placed or remain on any public way adjoining the premises of which he is the owner or occupant, except as provided in subsection (b).

(b) EXCEPTIONS. The prohibition of subsection (a) shall not apply to the following:

(1) Signs or clocks attached to buildings which project no more than six (6) feet from the face of such building and which do not extend below any point ten (10) feet above the sidewalk, street, or alley.

(2) Awnings now built and extending over any sidewalk at a height of less than

seven feet six inches (7' 6") above the sidewalk, street or alley.

(3) Public utility encroachments duly authorized by State Law or by the Village Board.

(4) Goods, wares, merchandise or fixtures being loaded or unloaded which do not extend more than three (3) feet on a sidewalk, provided such goods, wares, etc., do not remain thereon for more than three (3) hours.

(5) Temporary encroachments or obstructions authorized by permit under Section

4-2-6 of this Section pursuant to Sec. 66.045, Wis. Stats.

(6) Building materials for the period authorized by the Village Board which shall not obstruct more than one-half of the sidewalk or more than one-third of the traveled portion of the street, and which do not interfere with flow in the gutters.

(7) Excavations and openings permitted under Sections 4-2-3 and 4-2-4 of this Code.

# SEC. 4-2-6 STREET PRIVILEGE PERMIT.

(a) WHEN REQUIRED. Permits for the use of the streets, alleys, sidewalks or other public ways or places of the Village may be granted to applicants by the Clerk-Treasurer for the purpose of moving any building or structure or of encumbering the street, alley, sidewalk or way with materials necessary in and about the construction or demolition of any building or structure, provided such applicant has complied with the other requirements of this subsection and has obtained a building permit if required by this Code of Ordinances.

(b) BOND. No street privilege permit shall be issued until the applicant shall execute and file with the Village Clerk-Treasurer a bond in an amount determined by the Streets and Sidewalks Committee, not exceeding Ten Thousand (\$10,000.00) Dollars, conditioned that the applicant will indemnify and save harmless the Village from all liability for accidents or damage caused by reason of operations under said permit

and will remove such encumbrance upon termination of the operations and will leave the vacated premises in a clean and sanitary condition and repair any and all damage to the streets, alleys, sidewalks or public property of the Village resulting from such building or moving operations.

(c) FEE. The fee for a street privilege permit shall be in the sum of Ten (\$10.00)

Dollars.

(d) CONDITIONS OF OCCUPANCY. The permission to occupy or obstruct the streets, alleys, sidewalks or public grounds is intended only for use in connection with the actual erection, alteration, repair, removal or moving of buildings or structures and shall be given upon the following terms and conditions and subject to revocation without notice by the Village President for violation thereof:

(1) Such temporary obstruction shall cover not more than one-third (1/3) of any

street or alley.

(2) Obstructions shall be sufficiently lighted at night so as to be in full view of the

public from all directions.

(3) Sidewalk traffic shall not be interrupted, but temporary sidewalks of not less than four (4) feet in width guarded by a closed fence at least four (4) feet high on both sides may be maintained during the period of occupancy.

4) The process of moving any building or structure shall be as continuous as practicable until completed, and if ordered by the Village Board, shall continue

during all hours of the day and night.

(5) No building or structure shall be allowed to remain overnight on any street crossing or intersection or so near thereto as to prevent easy access to any fire hydrant.

(6) Buildings shall be moved only in accordance with the route prescribed by the

Village Board.

(7) Upon termination of the work necessitating such obstruction, all parts of the streets, alleys, sidewalks or public grounds occupied under the permit shall be vacated, cleaned of all rubbish and obstructions and placed in a safe condition for public travel at the expense of the permittee.

(e) TERMINATION. All street privilege permits shall automtically terminate at the end of three months from the date of issuance unless an earlier termination date is

specified thereon at the direction of the Village Board.

(f) REMOVAL BY VILLAGE. In addition to any other penalty imposed, if the owner or occupant of the premises adjoining any unlawfully obstructed sidewalk shall refuse or neglect to remove such obstruction within twenty-four (24) hours after such notice from the Village Board to do so, it shall be the duty of the Village to remove such obstruction and make return of the costs and expenses thereof to the Village Clerk-Treasurer who shall enter such cost on the next annual tax roll as a special charge against the property abutting such obstructed sidewalk, and such sum shall be levied and collected as other special taxes against real estate.

State Law Reference: Section 66.045, Wis. Stats.

## SEC. 4-2-7 SNOW AND ICE REMOVAL.

(a) OWNER'S RESPONSIBILITY. The owner, occupant or person in charge of each and every building or structure or unoccupied lot in the Village of St. Cloud fronting or abutting any street shall clean or cause to be cleaned the sidewalk in front of or adjoining each such home, building or unoccupied lot, as the case may be of snow or ice to the width of such sidewalk within twenty-four (24) hours after the snow has ceased to fall and shall cause the same to be kept clear from ice and snow, provided

that when the ice has formed on any sidewalk so that it cannot be immediately removed, the persons herein referred to shall keep the same sprinkled with salt, sawdust or sand.

(b) VILLAGE'S OPTION TO CLEAR SIDEWALKS. In any case where the owner, occupant or person in charge of any building or structure or unoccupied lot shall fail to clear their respective sidewalks of snow and ice as set forth above, then and in that event, the Village may elect to clear said sidewalks as follows:

(1) Written notice shall be personally served, delivered or mailed informing said person of his or her failure to clear said sidewalk, the Village's intention to clear the same, and the potential costs thereof, no less than twelve (12) hours

prior to the Village's clearing said sidewalk.

(2) The Village shall clear or cause to be cleared all snow and ice from the subject's sidewalk, and shall charge the expenses of so doing at a rate as established by resolution by the Village Board. The charges shall be set forth in a statement to the Clerk-Treasurer who, in turn, shall mail the same to the owner, occupant or person in charge of the subject premises. If said statement is not paid in full within thirty (30) days thereafter, the statement shall be reported to the Clerk-Treasurer, who shall enter the charges in the tax roll as a special tax against said lot or parcel of land, and the same shall be collected in all respects like other taxes upon real estate, or as provided under Section 66.615(3)(f), Wisconsin Statutes.

(c) DEPOSIT OF SNOW ON STREETS OR SIDEWALKS. No person shall deposit or cause to be deposited any snow or ice taken and removed from his premises or elsewhere upon any sidewalk, alley, parkway, public place or street in the Village, provided, however, that the removal of snow from a sidewalk in front of or abutting his premises, as is required by Subsection (a), may be deposited on the alley or street. Snow shall not be piled at or near intersections so as to obstruct the view of

pedestrians or operators of motor vehicles.

(d) PENALTY. As an alternative to the remedy provided in subsection (b) above, or in addition thereto the Village may impose a penalty for violation of any provision of this Section, providing that the person who violates any of the provisions of this Section shall forfeit and pay to the Village a forfeiture of not less than Twenty-five (\$25.00) Dollars nor more than Five Hundred (\$500.00) Dollars, together with the costs of prosecution for each offense. A separate offense shall be deemed committed during each day (24 hours) or part thereof during which a violation occurs or continues.

State Law Reference: Sections 66.60(16) and 66.615(3)(f) and (5), Wis. Stats.

# SEC. 4-2-8 TERRACE AREAS.

(a) DEFINITION. The definition of "terrace" shall be as defined in Section 4-4-2(f).

(b) NOXIOUS WEEDS; PAVING. All that part of the terrace not covered by a sidewalk shall be kept free and clear of all noxious weeds and shall not be paved, surfaced or covered with any material which shall prevent the growth of plants, and shall be maintained as a lawn, except in areas specifically approved by the Village Board or its designee.

(c) RESPONSIBILITY TO MAINTAIN. Every owner of land in the Village whose land abuts a terrace is required to maintain, or have maintained by his tenant, the terrace directly abutting such land as provided in this Section and elsewhere in this Code. Every owner shall keep mailboxes located on a terrace free and clear of

snow.

(d) STREET RIGHTS OF WAY. Any tree, shrub, hedge, fence or other obstruction planted or constructed within the right-of-way of any Village street shall be done at the property owner's risk and shall be in accordance with the provisions of Title 4, Chapter 4 of this Code of Ordinances. In the event any street is widened or sidewalk constructed, any such planting or obstruction shall be removed at the property owner's expense.

Cross Reference: Title 4, Chapter 4.

### SEC. 4-2-9 VAULTS.

All vaults under sidewalks in the Village shall be constructed of brick, concrete block, or poured concrete. The surface opening into the street shall be within three (3) feet of the outer edge of the sidewalk, or the curb. The slab over such vault shall be able to withstand a load of two hundred fifty (250) pounds per square foot of slab area. The owner of any lot or parcel of land adjoining such vault shall maintain such vault and slab over in a safe condition and at his own expense.

# SEC. 4-2-10 DOWNSPOUTS AND EAVES OF BUILDINGS NOT TO DRAIN ON SIDEWALKS.

No downspouts from any building shall terminate on or upon, or in such position that the contents of such spout be cast upon or flow back or over, any public sidewalk in the Village. When the eaves of any building extend over or are so constructed that water may fall therefrom or run back upon any public sidewalk, such eaves shall be so protected by proper spouts or otherwise that no water shall fall or drain therefrom or run back upon or over any public sidewalk. The owner or owners of any building and the officers of any association or corporation owning any building on which any spouts or the eaves thereof shall be maintained contrary to this Section shall be subject to a penalty as provided in Section 1-1-6 of this Code of Ordinances.

# SEC. 4-2-11 SALE OR DISPLAY OF MERCHANDISE PROHIBITED.

No person shall display, sell, or offer to sell, on any street, sidewalk, alley or other public place within the Village, anything of value or service of any kind, except in connection with a Village-wide enterprise or promotion of community trade.

## SEC. 4-2-12 REQUESTS FOR IMPROVEMENTS.

Requests or petitions by Village property owners for new streets, curb and gutter, and sidewalks shall be presented to the Village Board on or before November 1 to be considered for installation in the following year.